CLAIMS

- 1 1. An apparatus for adjusting fan speed, comprising:
- 2 a fan;
- 3 an angular speed sensor, wherein the angular speed sensor
- 4 measures at least one angular speed of the fan;
- 5 an energy unit, wherein the energy unit provides energy
- 6 output to the fan; and
- 7 a feedback unit, wherein the feedback unit:
- 8 at least compares the at least one angular speed to
- 9 a set angular speed level; and
- 10 at least instructs the energy unit to adjust the
- 11 energy output to the fan to at least substantially
- 12 provide the set angular speed level.
- 1 2. The apparatus of Claim 1, wherein the angular speed
- 2 sensor further comprises a tachometer.
- 1 3. The apparatus of Claim 1, wherein the angular speed
- 2 sensor further comprises a flow meter.
- 1 4. The apparatus of Claim 1, wherein the fan further
- 2 comprises:
- 3 a plurality of fan blades; and

- 4 an electric motor at least coupled to the plurality of
- 5 fan blades.
- 1 5. The apparatus of Claim 4, wherein the energy unit
- 2 further comprises an adjustable electrical power supply.
- 1 6. The apparatus of Claim 1, wherein the fan further
- 2 comprises a plurality of fan blades.
- 1 7. The apparatus of Claim 6, wherein the energy unit
- 2 further comprises:
- 3 a mechanical engine at least coupled to the plurality of
- 4 fan blades; and
- 5 an engine control unit, wherein the engine control unit
- 6 at least controls mechanical energy output of the mechanical
- 7 engine.
- 1 8. A feedback unit for adjusting fan speed, comprising:
- 2 an angular speed sensor, wherein the angular speed sensor
- 3 measures at least one angular speed of a fan;
- 4 an energy unit, wherein the energy unit provides energy
- 5 output to the fan;

- 6 a comparison unit, wherein the comparison unit at least
- 7 compares the at least one angular speed to a set angular speed
- 8 level; and
- 9 an instruction unit, wherein the instruction unit at
- 10 least instructs the energy unit to adjust the energy output to
- 11 the fan to at least provide the set angular speed level.
- 1 9. The feedback unit of Claim 8, wherein the angular
- 2 speed sensor further comprises a tachometer.
- 1 10. The feedback unit of Claim 8, wherein the angular
- 2 speed sensor further comprises a flow meter.
- 1 11. The feedback unit of Claim 8, wherein the fan
- 2 further comprises:
- 3 a plurality of fan blades; and
- 4 an electric motor at least coupled to the plurality of
- 5 fan blades.
- 1 12. The feedback unit of Claim 11, wherein the energy
- 2 unit further comprises an adjustable electrical power supply.

- 1 13. The feedback unit of Claim 8, wherein the energy
- 2 unit further comprises a mechanical engine at least coupled to
- 3 the fan.
- 1 14. An apparatus for determining fan failure or fan
- 2 wear, comprising:
- 3 an energy unit, wherein the energy unit provides energy
- 4 output to a fan;
- 5 a measurement unit, wherein the measurement unit at least
- 6 measures the energy output to the fan;
- 7 an angular speed sensor, wherein the angular speed sensor
- 8 measures at least one angular speed of the fan;
- 9 a processing unit, wherein the processing unit at least
- 10 compares the energy output to the fan with the at least one
- 11 angular speed of the fan over time to determine fan failure or
- 12 fan wear.
- 1 15. The apparatus of Claim 14, wherein the angular speed
- 2 sensor further comprises a tachometer.
- 1 16. The apparatus of Claim 14, wherein the angular speed
- 2 sensor further comprises a flow meter.

- 1 17. The apparatus of Claim 14, wherein the fan further
- 2 comprises:
- 3 a plurality of fan blades; and
- 4 an electric motor at least coupled to the plurality of
- 5 fan blades.
- 1 18. The apparatus of Claim 17, wherein the energy unit
- 2 further comprises an adjustable electrical power supply.
- 1 19. The apparatus of Claim 14, wherein the energy unit
- 2 further comprises a mechanical engine at least coupled to the
- 3 fan.
- 1 20. The apparatus of Claim 14, wherein the processing
- 2 unit comprises at least being configured to use historical
- 3 data of the energy output to the fan with the at least one
- 4 angular speed of the fan to determine if energy consumption is
- 5 increasing.
- 1 21. An apparatus for determining fan failure or fan
- 2 wear, comprising a processing unit, wherein the processing
- 3 unit at least compares energy output to the fan with at least

- 4 one angular speed of the fan over time to at least determine
- 5 fan failure or fan wear.
- 1 22. The apparatus of Claim 21, wherein the processing
- 2 unit comprises at least being configured to use historical
- 3 data of the energy output to the fan with the at least one
- 4 angular speed of the fan to determine if energy consumption is
- 5 increasing.
- 1 23. An apparatus for adjusting fan speed, comprising:
- 2 a fan;
- 3 an angular speed sensor, wherein the angular speed sensor
- 4 measures at least one angular speed of the fan;
- 5 an energy unit, wherein the energy unit provides energy
- 6 output to the fan;
- 7 a feedback unit, wherein the feedback unit:
- 8 at least compares the at least one angular speed to
- 9 a set angular speed level; and
- 10 at least instructs the energy unit to adjust the
- 11 energy output to the fan to at least provide the set
- 12 angular speed level; and
- a processing unit, wherein the processing unit at least
- 14 compares the energy output to the fan with the at least one

- 15 angular speed of the fan over time to determine fan failure or
- 16 fan wear.
- 1 24. The apparatus of Claim 23, wherein the angular speed
- 2 sensor further comprises a tachometer.

3

- 1 25. The apparatus of Claim 23, wherein the angular speed
- 2 sensor further comprises an flow meter.
- 1 26. The apparatus of Claim 23, wherein the fan further
- 2 comprises:
- 3 a plurality of fan blades; and
- 4 an electric motor at least coupled to the plurality of
- 5 fan blades.
- 1 27. The apparatus of Claim 26, wherein the energy unit
- 2 further comprises an adjustable electrical power supply.
- 1 28. The apparatus of Claim 23, wherein the fan further
- 2 comprises a plurality of fan blades.

- 1 29. The apparatus of Claim 28, wherein the energy unit
- 2 further comprises:
- 3 a mechanical engine at least coupled to the plurality of
- 4 fan blades; and
- 5 an engine control unit, wherein the engine control unit
- 6 at least controls mechanical energy output of the mechanical
- 7 engine.
- 1 30. A method of correcting a fan's angular speed,
- 2 comprising:
- 3 measuring an angular speed of the fan;
- 4 comparing the angular speed of the fan to a set fan
- 5 speed;
- 6 adjusting energy output to the fan to at least achieve
- 7 the set fan speed.
- 1 31. The method of Claim 30, wherein step of measuring
- 2 the angular speed of the fan further comprises measuring the
- 3 Revolutions Per Minute (RPMs) of the fan.
- 1 32. The method of Claim 30, wherein the step of
- 2 adjusting the energy output to the fan further comprises

- 3 adjusting electrical energy output to an electric motor at
- 4 least coupled to a plurality of blades.
- 1 33. The method of Claim 30, wherein the step of
- 2 adjusting the energy output to the fan further comprises
- 3 adjusting mechanical energy output of the mechanical engine at
- 4 least coupled to a plurality of blades.
- 1 34. A method for determining fan failure or fan wear,
- 2 comprising:
- 3 measuring an angular speed of a fan;
- 4 measuring an energy output to the fan;
- 5 determining if there is an impending fan failure base on
- 6 the angular speed of the fan and the energy output to the fan.
- 1 35. The method of Claim 34, wherein the step of
- 2 determining if there is an impending fan failure further
- 3 comprises:
- 4 storing the angular speed of the fan versus the energy
- 5 output to the fan;
- 6 comparing the angular speed of the fan and the energy
- 7 output to the fan; and
- 8 determining if the energy output to the fan is at least
- 9 increasing relative to the angular speed of the fan.

- 1 36. The method of Claim 34, wherein the step of
- 2 determining if there is an impending fan failure further
- 3 comprises:
- 4 comparing the angular speed of the fan and the energy
- 5 output to the fan to a predetermined consumption; and
- 6 determining if the energy output to the fan is at least
- 7 greater than the predetermined consumption.
- 1 37. A computer program product for correcting a fan's
- 2 angular speed, computer program product having a medium with a
- 3 computer program embodied thereon, the computer program
- 4 comprising:
- 5 computer code for measuring an angular speed of the fan;
- 6 computer code for comparing the angular speed of the fan
- 7 to a set fan speed;
- 8 computer code for adjusting energy output to the fan to
- 9 at least achieve the set fan speed.
- 1 38. The computer program product of Claim 37, wherein
- 2 computer code for measuring the angular speed of the fan
- 3 further comprises computer code for measuring the Revolutions
- 4 Per Minute (RPMs) of the fan.

- I 39. The computer program product of Claim 37, wherein
- 2 the computer code for adjusting the energy output to the fan
- 3 further comprises computer code for adjusting electrical
- 4 energy output to an electric motor at least coupled to a
- 5 plurality of blades.
- 1 40. The computer program product of Claim 37, wherein
- 2 the computer code for adjusting the energy output to the fan
- 3 further comprises computer code for adjusting mechanical
- 4 energy output of the mechanical engine at least coupled to a
- 5 plurality of blades.
- 1 41. A computer program product for determining fan
- 2 failure, computer program product having a medium with a
- 3 computer program embodied thereon, the computer program
- 4 comprising:
- 5 computer code for measuring an angular speed of a fan;
- 6 computer code for measuring an energy output to the fan;
- 7 computer code for determining if there is an impending
- 8 fan failure base on the angular speed of the fan and the
- 9 energy output to the fan.

- 1 42. The computer program product of Claim 41, wherein
- 2 the step of determining if there is an impending fan failure
- 3 further comprises:
- 4 computer code for storing the angular speed of the fan
- 5 versus the energy output to the fan;
- 6 computer code for comparing the angular speed of the fan
- 7 and the energy output to the fan; and
- 8 computer code for determining if the energy output to the
- 9 fan is at least increasing relative to the angular speed of
- 10 the fan.
- 1 43. The computer program product of Claim 41, wherein
- 2 the computer code for determining if there is an impending fan
- 3 failure further comprises:
- 4 computer code for comparing the angular speed of the fan
- 5 and the energy output to the fan to a predetermined
- 6 consumption; and
- 7 computer code for determining if the energy output to the
- 8 fan is at least greater than the predetermined consumption.